

LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: 44" | 56" | 68" | 80" | 96" | 120"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE - PARTIAL 2x4 RECESS - WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 10 different install configurations included standard in the box!*

**Wall mount kits sold separately.*

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.



Landscape Pro™ Multi 44"



Landscape Pro™ Multi 44"

New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!



STANDARD FEATURES

LIGHTING

- Higher Intensity Ember Bed Activity
- Improved Flames
- Higher Intensity Flame LEDs

MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- New Log Design – Highly Detailed Realism

HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- Wi-Fi Connect to Fireplace (Alexa/Google home compatible)
- Basic Features Manual Controls
- Flame Speed (4 speed settings)
- Full Feature Remote Control
 - RGB Color Wheel
 - Brightness Slide Bar

OPTIONAL UPGRADES

- Standard Single-Sided Trim included
- 5 Piece Trim Kit (sold separate)

UPGRADED MEDIA

- ½" Reflective Fireglass – 10 lb. jars
 - 7 Color Options
- Wall Mount Cabinets

OPTIONAL CONTROL

- Wireless Thermostat & Full Wall Control

LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



MEDIA - **NEW** PREMIUM LOG DESIGN STANDARD



HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater - Indoor & Outdoor Approved



FLAMES & LIGHTING
15 WATTS
NO HEAT



1500 WATT HEATER
120V 5,000 BTU
UP TO 400 SQ FT



3000 WATT HEATER
240V 10,000 BTU
UP TO 800 SQ FT

MODERN  FLAMES

*Landscape Pro™ Multi Fireplaces are
equipped with adjustable heaters
controlled by remote or phone app.
Wireless Wall Control has
thermostat controls.*



STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



MODERN  FLAMES


FULL FEATURED
Wi-Fi APP



UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL

Sold separately.



PT# MF-PRO-V2-WTC


MULTI INSTALLATIONS - MULTIPLE DIFFERENT CONFIGURATIONS

MULTI INSTALL DEPTHS:

- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT*

MULTI CONFIGURATIONS:


- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER
- WALL MOUNT*
- BUILT-IN RECESSED (2X4)
- FLOATING WALL CABINET
- 3-SIDED (BAY)
- FLOOR CABINET



FRONT VIEW




SIDE VIEW




*Mantel & Accessories Sold Separately

MODEL & CONFIGURATION		VIEWING AREA			FIREBOX DIMENSIONS					
MODEL #	CONFIGURATION	FRONT GLASS WIDTH	SIDE GLASS WIDTH	GLASS HEIGHT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	BOTTOM TO VIEWING	TOP TO VIEWING	BACK TO VIEWING
LPM-4416V2	SINGLE SIDED	43.75" (1111.25mm)	-	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	43.75" (1111.25mm)	5" (127mm)	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	43.75" (1111.25mm)	5" (127mm)	15.75" (400.05mm)	44.0625" (1119.19mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-5616V2	SINGLE SIDED	55.75" (1416.05mm)	-	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	55.75" (1416.05mm)	5" (127mm)	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	55.75" (1416.05mm)	5" (127mm)	15.75" (400.05mm)	56.0625" (1423.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-6816V2	SINGLE SIDED	67.75" (1720.85mm)	-	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	67.75" (1720.85mm)	5" (127mm)	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	67.75" (1720.85mm)	5" (127mm)	15.75" (400.05mm)	68.0625" (1728.79mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-8016V2	SINGLE SIDED	79.75" (2025.65mm)	-	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	79.75" (2025.65mm)	5" (127mm)	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	79.75" (2025.65mm)	5" (127mm)	15.75" (400.05mm)	80.0625" (2033.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-9616V2	SINGLE SIDED	96.75" (2457.45mm)	-	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	96.75" (2457.45mm)	5" (127mm)	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	96.75" (2457.45mm)	5" (127mm)	15.75" (400.05mm)	96.0625" (2439.99mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
LPM-12016V2	SINGLE SIDED	119.75" (3041.65mm)	-	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	-
	CORNER (L/R)	119.75" (3041.65mm)	5" (127mm)	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)
	3-SIDED (BAY)	119.75" (3041.65mm)	5" (127mm)	15.75" (400.05mm)	120.0625" (3049.59mm)	25" (635mm)	11.625" (295.28mm)	4.625" (117.48mm)	4.625" (117.48mm)	4.125" (104.78mm)


Note Dimensions include screw heads on the exterior of the fireplace.




3 SIDED (BAY)



CORNER RIGHT/LEFT



BUILT-IN RECESSED (2X4)



SINGLE SIDED



 Hybrid-FX™
FLAME TECHNOLOGY

Landscape Pro 56"
Install: Partially Recessed with mantels

LANDSCAPE PRO™ MULTI STUDIO SUITES

Modern Flames Landscape Pro™ Multi Studio Suites are artfully crafted and American Made. These mantels are specifically designed for our Landscape Pro™ Multi for a wall mount application. Constructed with high detail woods the Studio Suites are available in a Driftwood Gray, Weathered Walnut, Coastal Sand or white paint grade ready for the DIY'er to finish it off themselves. For the wall mount applications simply attach the Landscape Pro™ Multi to the wall and then attach the Suites mounting brackets for the top and bottom pieces. The additional fireplace that is exposed from the wall will be finished off with the top and bottom and side wood furniture pieces. These Studio Suites are the perfect way to finish off this fully featured electric fireplace. **Mantels are sold separately from fireplace.*



Landscape Pro™ Multi 56"


STUDIO SUITES – LANDSCAPE PRO™ MULTI

Dimension Specs

WALL MOUNT MANTEL DIMENSIONAL SPECS (Assembled)

Part #	Width	Height	Depth
WMC-44LPM-(#Color)	58.5	28	14
WMC-56LPM-(#Color)	70.5	28	14
WMC-68LPM-(#Color)	82.5	28	14
WMC-80LPM-(#Color)	94.5	28	14

COLORS: COASTAL SAND (CS), WEATHERED WALNUT (WW), DRIFTWOOD GRAY (DG), READY TO PAINT (RTF)



WALL
MOUNT*

*Mantel & Accessories
Sold Separately





 **Hybrid-FX™**
FLAME TECHNOLOGY
Landscape Pro 56"
Install: Partially Recessed
with mantels